

810 Invoice

X12/V5010/810 : 810 Invoice

Version: 1.0

Author:	SPS Commerce
Company:	Academy Sports and Outdoors

Table of Contents

810 Invoice	1
ST Transaction Set Header	2
BIG Beginning Segment for Invoice	3
REF Reference Information	4
N1 Loop Party Identification	5
N1 Party Identification	6
N3 Party Location	7
N4 Geographic Location	8
ITD Terms of Sale/Deferred Terms of Sale	9
DTM Date/Time Reference	11
IT1 Loop Baseline Item Data (Invoice)	12
IT1 Baseline Item Data (Invoice)	13
TDS Total Monetary Value Summary	15
CAD Carrier Details	16
SAC Loop Service, Promotion, Allowance, or Charge Information	17
SAC Service, Promotion, Allowance, or Charge Information	18
ISS Loop Invoice Shipment Summary	21
ISS Invoice Shipment Summary	22
CTT Transaction Totals	23
SE Transaction Set Trailer	24

810 Invoice

Functional Group=IN

Purpose: This X12 Transaction Set contains the format and establishes the data contents of the Invoice Transaction Set (810) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the billing for goods and services provided.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0100	ST	Transaction Set Header	M	1			Must use
0200	BIG	Beginning Segment for Invoice	M	1			Must use
0500	REF	Reference Information	M	2			Must use
LOOP ID - N1					2		
0700	N1	Party Identification	M	1			Must use
0900	N3	Party Location	C	1			Used
1000	N4	Geographic Location	C	1			Used
1300	ITD	Terms of Sale/Deferred Terms of Sale	O	1			Used
1400	DTM	Date/Time Reference	M	1			Must use

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - IT1					200000		
0100	IT1	Baseline Item Data (Invoice)	M	1			Must use

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0100	TDS	Total Monetary Value Summary	M	1			Must use
0300	CAD	Carrier Details	M	1			Must use
LOOP ID - SAC					>1		
0400	SAC	Service, Promotion, Allowance, or Charge Information	O	1			Used
LOOP ID - ISS					1		
0600	ISS	Invoice Shipment Summary	O	1			Used
0700	CTT	Transaction Totals	M	1		N3/0700	Must use
0800	SE	Transaction Set Trailer	M	1			Must use

Notes:

3/0700 Number of line items (CTT01) is the accumulation of the number of IT1 segments. If used CTT02 is the hash total of the quantities invoiced (IT102) for each IT1 segment.

ST Transaction Set Header

Pos: 0100	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

Description: Code uniquely identifying a Transaction Set

CodeList Summary (Total Codes: 318, Included: 1)

Code Name

810 Invoice

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	--------------------------------	---	----	-----	----------

Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Semantics:

1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

BIG Beginning Segment for Invoice

Pos: 0200	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 5

User Option (Usage): Must use

Purpose: To indicate the beginning of an invoice transaction set and transmit identifying numbers and dates

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BIG01	373	Date	M	DT	8/8	Must use
		Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year				
BIG02	76	Invoice Number	M	AN	1/22	Must use
		Description: Identifying number assigned by issuer				
BIG03	373	Date	O	DT	8/8	Used
		Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year				
BIG04	324	Purchase Order Number	M	AN	1/22	Must use
		Description: Identifying number for Purchase Order assigned by the orderer/purchaser				
BIG05	328	Release Number	O	AN	1/30	Used
		Description: Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction				
		User Note 1: <i>Vendor Order Number</i>				

Semantics:

1. BIG01 is the invoice issue date.
2. BIG03 is the date assigned by the purchaser to purchase order.
3. BIG10 is the consolidated invoice number associated with the invoice identified in BIG02. When BIG07 contains code C1 (Consolidated Invoice), BIG02 will contain the consolidated invoice number and BIG10 is not used.

Comments:

1. BIG07 is used only to further define the type of invoice when needed.

REF Reference Information

Pos: 0500	Max: 2
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

CodeList Summary (Total Codes: 1731, Included: 2)

Code Name

IA Internal Vendor Number

User Note 1:

Mandatory

IT Internal Customer Number

User Note 1:

*Mandatory
Academy Vendor Account #*

REF02	127	Reference Identification	M	AN	1/50	Must use
-------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

Loop Party Identification

Pos: 0700	Repeat: 2
Mandatory	
Loop: N1	Elements: N/A

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0700	N1	Party Identification	M	1		Must use
0900	N3	Party Location	C	1		Used
1000	N4	Geographic Location	C	1		Used

N1 Party Identification

Pos: 0700	Max: 1
Heading - Mandatory	
Loop: N1	Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

CodeList Summary (Total Codes: 1500, Included: 2)

Code Name

RI Remit To

User Note 1:

Mandatory

ST Ship To

User Note 1:

Mandatory

N102	93	Name	C	AN	1/60	Used
------	----	------	---	----	------	------

Description: Free-form name

User Note 1: *Mandatory when N101 = RI*

N103	66	Identification Code Qualifier	C	ID	1/2	Used
------	----	-------------------------------	---	----	-----	------

Description: Code designating the system/method of code structure used for Identification Code (67)

User Note 1: *Mandatory when N101 = ST*

CodeList Summary (Total Codes: 241, Included: 2)

Code Name

91 Assigned by Seller or Seller's Agent

92 Assigned by Buyer or Buyer's Agent

N104	67	Identification Code	C	AN	2/80	Used
------	----	---------------------	---	----	------	------

Description: Code identifying a party or other code

User Note 1: *Mandatory when N101 = ST*

Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

N3 Party Location

Pos: 0900	Max: 1
Heading - Conditional	
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use
		Description: Address information				
N302	166	Address Information	O	AN	1/55	Used
		Description: Address information				
		User Note 1: <i>Vendor's AR Phone Number</i>				

User Note 1:

Mandatory when N101 = RI

N4 Geographic Location

Pos: 1000	Max: 1
Heading - Conditional	
Loop: N1	Elements: 4

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	M	AN	2/30	Must use
		Description: Free-form text for city name				
N402	156	State or Province Code	M	ID	2/2	Must use
		Description: Code (Standard State/Province) as defined by appropriate government agency				
N403	116	Postal Code	M	ID	3/15	Must use
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	Country Code	O	ID	2/3	Used
		Description: Code identifying the country				

Syntax Rules:

1. E0207 - Only one of N402 or N407 may be present.
2. C0605 - If N406 is present, then N405 is required.
3. C0704 - If N407 is present, then N404 is required.

Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

User Note 1:

Mandatory when N101 = RI

ITD Terms of Sale/Deferred Terms of Sale

Pos: 1300	Max: 1
Heading - Optional	
Loop: N/A	Elements: 12

User Option (Usage): Used

Purpose: To specify terms of sale

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ITD01	336	Terms Type Code	O	ID	2/2	Used

Description: Code identifying type of payment terms

CodeList Summary (Total Codes: 77, Included: 17)

Code Name

- 01 Basic
- 02 End of Month (EOM)
- 03 Fixed Date
- 04 Deferred or Installment
- 05 Discount Not Applicable
- 06 Mixed
- 07 Extended
- 08 Basic Discount Offered
- 09 Proximo
- 10 Instant
- 11 Elective
- 12 10 Days After End of Month (10 EOM)
- 14 Previously agreed upon
- 18 Fixed Date, Late Payment Penalty Applies
- 22 Cash Discount Terms Apply
- 23 Payment Due Upon Receipt of Invoice
- 24 Anticipation

ITD02	333	Terms Basis Date Code	O	ID	1/2	Used
-------	-----	-----------------------	---	----	-----	------

Description: Code identifying the beginning of the terms period

CodeList Summary (Total Codes: 17, Included: 3)

Code Name

- 1 Ship Date
- 3 Invoice Date
- 5 Invoice Receipt Date

ITD03	338	Terms Discount Percent	O	R	1/6	Used
-------	-----	------------------------	---	---	-----	------

Description: Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date

ITD04	370	Terms Discount Due Date	X	DT	8/8	Used
-------	-----	-------------------------	---	----	-----	------

Description: Date payment is due if discount is to be earned expressed in format CCYYMMDD where CC represents the first two digits of the calendar year

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ITD05	351	Terms Discount Days Due	X	N0	1/3	Used
		Description: Number of days in the terms discount period by which payment is due if terms discount is earned				
ITD06	446	Terms Net Due Date	O	DT	8/8	Used
		Description: Date when total invoice amount becomes due expressed in format CCYYMMDD where CC represents the first two digits of the calendar year				
ITD07	386	Terms Net Days	O	N0	1/3	Used
		Description: Number of days until total invoice amount is due (discount not applicable)				
ITD08	362	Terms Discount Amount	O	N2	1/10	Used
		Description: Total amount of terms discount				
ITD09	388	Terms Deferred Due Date	O	DT	8/8	Used
		Description: Date deferred payment or percent of invoice payable is due expressed in format CCYYMMDD where CC represents the first two digits of the calendar year				
ITD10	389	Deferred Amount Due	X	N2	1/10	Used
		Description: Deferred amount due for payment				
ITD11	342	Percent of Invoice Payable	X	R	1/5	Used
		Description: Amount of invoice payable expressed in percent				
ITD12	352	Description	O	AN	1/80	Used
		Description: A free-form description to clarify the related data elements and their content				

Syntax Rules:

1. L03040513 - If ITD03 is present, then at least one of ITD04, ITD05 or ITD13 is required.
2. L08040513 - If ITD08 is present, then at least one of ITD04, ITD05 or ITD13 is required.
3. L091011 - If ITD09 is present, then at least one of ITD10 or ITD11 is required.

Semantics:

1. ITD15 is the percentage applied to a base amount used to determine a late payment charge.

Comments:

1. If the code in ITD01 is "04", then ITD07 or ITD09 is required and either ITD10 or ITD11 is required; if the code in ITD01 is "05", then ITD06 or ITD07 is required.

DTM Date/Time Reference

Pos: 1400	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To specify pertinent dates and times

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use

Description: Code specifying type of date or time, or both date and time

CodeList Summary (Total Codes: 1280, Included: 1)

Code Name

011 Shipped

DTM02	373	Date	M	DT	8/8	Must use
-------	-----	------	---	----	-----	----------

Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

Loop Baseline Item Data (Invoice)

Pos: 0100	Repeat: 200000
Mandatory	
Loop: IT1	Elements: N/A

User Option (Usage): Must use

Purpose: To specify the basic and most frequently used line item data for the invoice and related transactions

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0100	IT1	Baseline Item Data (Invoice)	M	1		Must use

IT1 Baseline Item Data (Invoice)

Pos: 0100	Max: 1
Detail - Mandatory	
Loop: IT1	Elements: 7

User Option (Usage): Must use

Purpose: To specify the basic and most frequently used line item data for the invoice and related transactions

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IT102	358	Quantity Invoiced	M	R	1/15	Must use
		Description: Number of units invoiced (supplier units)				
IT103	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		CodeList Summary (Total Codes: 844, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		EA	Each			
IT104	212	Unit Price	M	R	1/17	Must use
		Description: Price per unit of product, service, commodity, etc.				
IT106	235	Product/Service ID Qualifier	M	ID	2/2	Must use
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		CodeList Summary (Total Codes: 519, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		UP	UCC - 12			
IT107	234	Product/Service ID	M	AN	1/48	Must use
		Description: Identifying number for a product or service				
IT108	235	Product/Service ID Qualifier	X	ID	2/2	Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		CodeList Summary (Total Codes: 519, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		VN	Vendor's (Seller's) Item Number			
IT109	234	Product/Service ID	X	AN	1/48	Used
		Description: Identifying number for a product or service				

Syntax Rules:

1. P020304 - If either IT102, IT103 or IT104 are present, then the others are required.
2. P0607 - If either IT106 or IT107 is present, then the other is required.
3. P0809 - If either IT108 or IT109 is present, then the other is required.
4. P1011 - If either IT110 or IT111 is present, then the other is required.
5. P1213 - If either IT112 or IT113 is present, then the other is required.

6. P1415 - If either IT114 or IT115 is present, then the other is required.
7. P1617 - If either IT116 or IT117 is present, then the other is required.
8. P1819 - If either IT118 or IT119 is present, then the other is required.
9. P2021 - If either IT120 or IT121 is present, then the other is required.
10. P2223 - If either IT122 or IT123 is present, then the other is required.
11. P2425 - If either IT124 or IT125 is present, then the other is required.

Semantics:

1. IT101 is the line item identification.

Comments:

1. Element 235/234 combinations should be interpreted to include products and/or services. See the Data Dictionary for a complete list of IDs.
2. IT106 through IT125 provide for ten different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

TDS Total Monetary Value Summary

Pos: 0100	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 3

User Option (Usage): Must use

Purpose: To specify the total invoice discounts and amounts

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TDS01	610	Amount	M	N2	1/15	Must use
		Description: Monetary amount				
TDS02	610	Amount	O	N2	1/15	Used
		Description: Monetary amount				
TDS03	610	Amount	O	N2	1/15	Used
		Description: Monetary amount				

Semantics:

1. TDS01 is the total amount of invoice (including charges, less allowances) before terms discount (if discount is applicable).
2. TDS02 indicates the amount upon which the terms discount amount is calculated.
3. TDS03 is the amount of invoice due if paid by terms discount due date (total invoice or installment amount less cash discount).
4. TDS04 indicates the total amount of terms discount.

Comments:

1. TDS02 is required if the dollar value subject to discount is not equal to the dollar value of TDS01.

CAD Carrier Details

Pos: 0300	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 4

User Option (Usage): Must use

Purpose: To specify transportation details for the transaction

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CAD01	91	Transportation Method/Type Code	M	ID	1/2	Must use

Description: Code specifying the method or type of transportation for the shipment

CodeList Summary (Total Codes: 80, Included: 1)

Code Name

M Motor (Common Carrier)

CAD05	387	Routing	M	AN	1/35	Must use
-------	-----	---------	---	----	------	----------

Description: Free-form description of the routing or requested routing for shipment, or the originating carrier's identity

User Note 1: *Carrier Name*

CAD07	128	Reference Identification Qualifier	O	ID	2/3	Used
-------	-----	------------------------------------	---	----	-----	------

Description: Code qualifying the Reference Identification

CodeList Summary (Total Codes: 1731, Included: 2)

Code Name

BM Bill of Lading Number

CN Carrier's Reference Number (PRO/Invoice)

CAD08	127	Reference Identification	X	AN	1/50	Used
-------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0504 - At least one of CAD05 or CAD04 is required.
2. C0708 - If CAD07 is present, then CAD08 is required.

Loop Service, Promotion, Allowance, or Charge Information

Pos: 0400	Repeat: >1
Optional	
Loop: SAC	Elements: N/A

User Option (Usage): Used

Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0400	SAC	Service, Promotion, Allowance, or Charge Information	O	1		Used

SAC Service, Promotion, Allowance, or Charge Information

Pos: 0400 Max: 1
 Summary - Optional
 Loop: SAC Elements: 5

User Option (Usage): Used

Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SAC01	248	Allowance or Charge Indicator	M	ID	1/1	Must use

Description: Code which indicates an allowance or charge for the service specified

CodeList Summary (Total Codes: 7, Included: 2)

Code Name

- A Allowance
- C Charge

SAC02	1300	Service, Promotion, Allowance, or Charge Code	M	ID	4/4	Must use
-------	------	--	---	----	-----	----------

Description: Code identifying the service, promotion, allowance, or charge

CodeList Summary (Total Codes: 1090, Included: 36)

Code Name

- A260 Advertising Allowance
- A400 Allowance Non-performance
- B270 Collect Surcharge
- B720 Cooperative Advertising/Merchandising Allowance (Performance)
- B750 Core Charge
- B950 Damaged Merchandise
- C000 Defective Allowance
- C260 Discount - Incentive
- C300 Discount - Special
- C310 Discount
- C530 Duty Charge
- D170 Free Goods
- D200 Freight Charges to Destination
- D230 Freight Surcharge
- D240 Freight
- D500 Handling
- E710 New Discount
- E740 New Store Allowance
- E750 New Store Discount
- F050 Other (See related description)
- F230 Penalty Charge
- F670 Price and Marketing Allowance
- F970 Rebate

<u>Code</u>	<u>Name</u>
G680	Segregating (Sorting)
G740	Service Charge
G830	Shipping and Handling
G860	Shrink Allowance
G960	Slotting Allowance
H000	Special Allowance
H090	Special Handling
H625	Tax - Beverage Tax
H660	Tax - Federal Excise Tax, FET
H700	Tax - Local Tax
H770	Tax - State Tax
I170	Trade Discount
I410	Unsaleable Merchandise Allowance

SAC05 610 **Amount** M N2 1/15 Must use

Description: Monetary amount

SAC12 331 **Allowance or Charge Method of Handling Code** O ID 2/2 Used

Description: Code indicating method of handling for an allowance or charge

CodeList Summary (Total Codes: 22, Included: 8)

<u>Code</u>	<u>Name</u>
01	Bill Back
02	Off Invoice
03	Vendor Check to Customer
04	Credit Customer Account
05	Charge to be Paid by Vendor
06	Charge to be Paid by Customer
09	Allowance To Be Issued by Vendor
15	Information Only

SAC15 352 **Description** O AN 1/80 Used

Description: A free-form description to clarify the related data elements and their content

Syntax Rules:

1. R0203 - At least one of SAC02 or SAC03 is required.
2. P0304 - If either SAC03 or SAC04 is present, then the other is required.
3. P0607 - If either SAC06 or SAC07 is present, then the other is required.
4. P0910 - If either SAC09 or SAC10 is present, then the other is required.
5. C1110 - If SAC11 is present, then SAC10 is required.
6. C1413 - If SAC14 is present, then SAC13 is required.
7. C1615 - If SAC16 is present, then SAC15 is required.

Semantics:

1. If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
2. SAC05 is the total amount for the service, promotion, allowance, or charge.
3. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.

4. SAC08 is the allowance or charge rate per unit.
5. SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity.
6. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
7. SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
8. SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
9. SAC16 is used to identify the language being used in SAC15.

Comments:

1. SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction with SAC03 to further define SAC02.
2. In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to as "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" - Dollars in SAC09.

Loop Invoice Shipment Summary

Pos: 0600	Repeat: 1
Optional	
Loop: ISS	Elements: N/A

User Option (Usage): Used

Purpose: To specify summary details of total items shipped in terms of quantity, weight, and volume

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0600	ISS	Invoice Shipment Summary	O	1		Used

ISS Invoice Shipment Summary

Pos: 0600 Max: 1
 Summary - Optional
 Loop: ISS Elements: 4

User Option (Usage): Used

Purpose: To specify summary details of total items shipped in terms of quantity, weight, and volume

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ISS01	382	Number of Units Shipped	X	R	1/10	Used

Description: Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set

ISS02	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
-------	-----	---	---	----	-----	------

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

CodeList Summary (Total Codes: 844, Included: 1)

Code Name

EA Each

ISS03	81	Weight	X	R	1/10	Used
-------	----	---------------	---	---	------	------

Description: Numeric value of weight

ISS04	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
-------	-----	---	---	----	-----	------

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

CodeList Summary (Total Codes: 844, Included: 1)

Code Name

LB Pound

Syntax Rules:

1. R010305 - At least one of ISS01, ISS03 or ISS05 is required.
2. P0102 - If either ISS01 or ISS02 is present, then the other is required.
3. P0304 - If either ISS03 or ISS04 is present, then the other is required.
4. P0506 - If either ISS05 or ISS06 is present, then the other is required.

Semantics:

1. ISS07 is the quantity of third party pallets.
2. ISS08 is the gross weight of third party pallets in pounds.

CTT Transaction Totals

Pos: 0700	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 1

User Option (Usage): Must use

Purpose: To transmit a hash total for a specific element in the transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	Must use

Description: Total number of line items in the transaction set

Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

SE Transaction Set Trailer

Pos: 0800	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

Comments:

- SE is the last segment of each transaction set.