

# **Daikin Applied Americas 810 Invoice**

**X12/V4010/810: 810 Invoice**

<b>Author:</b>	<b>SPS Commerce</b>
<b>Company:</b>	<b>Daikin Applied Americas</b>
<b>Publication:</b>	<b>11/1/2020</b>
<b>Modified:</b>	<b>6/16/2022</b>

# 810 Invoice

Functional Group=IN

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Invoice Transaction Set (810) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the billing for goods and services provided.

## Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BIG	Beginning Segment for Invoice	M	1			Must use
040	CUR	Currency	M	1			Must use
050	REF	Reference Identification	M	2			Must use
<b>LOOP ID - N1</b>					<b>2</b>		
070	N1	Name	M	1			Must use
090	N3	Address Information	M	2			Must use
100	N4	Geographic Location	M	1			Must use
140	DTM	Date/Time Reference	O	1			Used
<b>LOOP ID - N9</b>					<b>1</b>		
240	N9	Reference Identification	M	1			Must use
250	MSG	Message Text	M	1			Must use

## Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<b>LOOP ID - IT1</b>					<b>200000</b>		
010	IT1	Baseline Item Data (Invoice)	M	1			Must use
050	CTP	Pricing Information	M	1			Must use
<b>LOOP ID - PID</b>					<b>1</b>		
060	PID	Product/Item Description	M	1			Must use
120	REF	Reference Identification	O	1			Used

## Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	TDS	Total Monetary Value Summary	M	1			Must use
020	TXI	Tax Information	O	3			Used
<b>LOOP ID - SAC</b>					<b>25</b>		
040	SAC	Service, Promotion, Allowance, or Charge Information	O	1			Used
070	CTT	Transaction Totals	O	1		N3/070	Used
080	SE	Transaction Set Trailer	M	1			Must use

## Notes:

3/070 Number of line items (CTT01) is the accumulation of the number of IT1 segments. If used, hash total

(CTT02) is the sum of the value of quantities invoiced (IT102) for each IT1 segment.

**Change History:**

11/17/2021

*Added the REF03 for the customer order number*

.

08/23/2021

*Added a note that the PO number must be 6/8 characters and numeric.*

06/16/2022

*Removed CR as an allowed BIG07 code*

# ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

**Description:** Code uniquely identifying a Transaction Set

**CodeList Summary** (Total Codes: 298, Included: 1)

Code Name

810 Invoice

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	--------------------------------	---	----	-----	----------

**Description:** Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

## Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

# BIG Beginning Segment for Invoice

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 6

**User Option (Usage):** Must use

**Purpose:** To indicate the beginning of an invoice transaction set and transmit identifying numbers and dates

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BIG01	373	Date	M	DT	8/8	Must use
Description: Date expressed as CCYYMMDD						
User Note 1: Invoice Date						
BIG02	76	Invoice Number	M	AN	1/22	Must use
Description: Identifying number assigned by issuer						
User Note 1: Mandatory						
BIG03	373	Date	M	DT	8/8	Must use
Description: Date expressed as CCYYMMDD						
BIG04	324	Purchase Order Number	M	AN	1/20	Must use
Description: Identifying number for Purchase Order assigned by the orderer/purchaser						
User Note 1: Purchase order numbers must be between 6/8 characters long and numeric						
BIG05	328	Release Number	O	AN	1/30	Used
Description: Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction						
User Note 1: Return if present on the order (850/850)						
BIG07	640	Transaction Type Code	M	ID	2/2	Must use
Description: Code specifying the type of transaction						
User Note 1: Daikin no longer accepts credits via EDI. Vendors should communicate credits via email to <a href="mailto:apinvoices@daikinapplied.com">apinvoices@daikinapplied.com</a>						
CodeList Summary (Total Codes: 446, Included: 1)						
<u>Code</u> <u>Name</u>						
DR Debit Memo						

## Semantics:

1. BIG01 is the invoice issue date.
2. BIG03 is the date assigned by the purchaser to purchase order.
3. BIG10 indicates the consolidated invoice number. When BIG07 contains code CI, BIG10 is not used.

# CUR Currency

<b>Pos: 040</b>	<b>Max: 1</b>
<b>Heading - Mandatory</b>	
<b>Loop: N/A</b>	<b>Elements: 2</b>

**User Option (Usage):** Must use

**Purpose:** To specify the currency (dollars, pounds, francs, etc.) used in a transaction

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CUR01	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use

**Description:** Code identifying an organizational entity, a physical location, property or an individual

**CodeList Summary** (Total Codes: 1312, Included: 1)

**Code Name**

BY Buying Party (Purchaser)

CUR02	100	<b>Currency Code</b>	M	ID	3/3	Must use
-------	-----	----------------------	---	----	-----	----------

**Description:** Code (Standard ISO) for country in whose currency the charges are specified

## Syntax Rules:

1. C0807 - If CUR08 is present, then CUR07 is required.
2. C0907 - If CUR09 is present, then CUR07 is required.
3. L101112 - If CUR10 is present, then at least one of CUR11 or CUR12 is required.
4. C1110 - If CUR11 is present, then CUR10 is required.
5. C1210 - If CUR12 is present, then CUR10 is required.
6. L131415 - If CUR13 is present, then at least one of CUR14 or CUR15 is required.
7. C1413 - If CUR14 is present, then CUR13 is required.
8. C1513 - If CUR15 is present, then CUR13 is required.
9. L161718 - If CUR16 is present, then at least one of CUR17 or CUR18 is required.
10. C1716 - If CUR17 is present, then CUR16 is required.
11. C1816 - If CUR18 is present, then CUR16 is required.
12. L192021 - If CUR19 is present, then at least one of CUR20 or CUR21 is required.
13. C2019 - If CUR20 is present, then CUR19 is required.
14. C2119 - If CUR21 is present, then CUR19 is required.

# REF Reference Identification

Pos: 050	Max: 2
Heading - Mandatory	
Loop: N/A	Elements: 3

**User Option (Usage):** Must use

**Purpose:** To specify identifying information

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

**CodeList Summary** (Total Codes: 1503, Included: 2)

### Code Name

CO Customer Order Number

#### **User Note 1:**

*Return if present on the order (850/860)*

IA Internal Vendor Number

#### **User Note 1:**

*Mandatory*

*Return value sent on the order (850/860)*

REF02	127	Reference Identification	C	AN	1/20	Used
-------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**User Note 1:** *Required when REF01=IA*

REF03	352	Description	C	AN	1/80	Used
-------	-----	-------------	---	----	------	------

**Description:** A free-form description to clarify the related data elements and their content

**User Note 1:** *Required when REF01=CO*

## Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

## Semantics:

1. REF04 contains data relating to the value cited in REF02.

# Loop Name

Pos: 070	Repeat: 2
Mandatory	
Loop: N1	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
070	N1	Name	M	1		Must use
090	N3	Address Information	M	2		Must use
100	N4	Geographic Location	M	1		Must use



# N1 Name

<b>Pos: 070</b>	<b>Max: 1</b>
<b>Heading - Mandatory</b>	
<b>Loop: N1</b>	<b>Elements: 4</b>

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use

**Description:** Code identifying an organizational entity, a physical location, property or an individual

**CodeList Summary** (Total Codes: 1312, Included: 2)

### Code Name

RI Remit To

#### **User Note 1:**

*Mandatory*

ST Ship To

#### **User Note 1:**

*Mandatory*

N102	93	<b>Name</b>	M	AN	1/60	Must use
------	----	-------------	---	----	------	----------

**Description:** Free-form name

N103	66	<b>Identification Code Qualifier</b>	C	ID	1/2	Used
------	----	--------------------------------------	---	----	-----	------

**Description:** Code designating the system/method of code structure used for Identification Code (67)

**CodeList Summary** (Total Codes: 215, Included: 1)

### Code Name

92 Assigned by Buyer or Buyer's Agent

N104	67	<b>Identification Code</b>	C	AN	2/80	Used
------	----	----------------------------	---	----	------	------

**Description:** Code identifying a party or other code

**User Note 1:** *For N101 = ST, If provided on the order (850/860), required on the INV*

*Required when N101 = RI, vendor should provide their payment location number as defined by Daikin*

## Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

## Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

# N3 Address Information

Pos: 090	Max: 2
Heading - Mandatory	
Loop: N1	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To specify the location of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use
		Description: Address information				
N302	166	Address Information	O	AN	1/55	Used
		Description: Address information				

# N4 Geographic Location

Pos: 100	Max: 1
Heading - Mandatory	
Loop: N1	Elements: 4

**User Option (Usage):** Must use

**Purpose:** To specify the geographic place of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	<b>City Name</b>	M	AN	2/30	Must use
		<b>Description:</b> Free-form text for city name				
N402	156	<b>State or Province Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				
N403	116	<b>Postal Code</b>	M	ID	3/15	Must use
		<b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	<b>Country Code</b>	O	ID	2/3	Used
		<b>Description:</b> Code identifying the country				

## Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

# DTM Date/Time Reference

Pos: 140	Max: 1
Heading - Optional	
Loop: N/A	Elements: 2

**User Option (Usage):** Used

**Purpose:** To specify pertinent dates and times

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use

**Description:** Code specifying type of date or time, or both date and time

**CodeList Summary** (Total Codes: 1112, Included: 1)

Code Name

011 Shipped

DTM02	373	Date	M	DT	8/8	Must use
-------	-----	------	---	----	-----	----------

**Description:** Date expressed as CCYYMMDD

## Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

# Loop Reference Identification

Pos: 240	Repeat: 1
Optional	
Loop: N9	Elements: N/A

**User Option (Usage):** Used

**Purpose:** To transmit identifying information as specified by the Reference Identification Qualifier

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
240	N9	Reference Identification	M	1		Must use
250	MSG	Message Text	M	1		Must use

# N9 Reference Identification

<b>Pos: 240</b>	<b>Max: 1</b>
<b>Heading - Mandatory</b>	
<b>Loop: N9</b>	<b>Elements: 2</b>

**User Option (Usage):** Must use

**Purpose:** To transmit identifying information as specified by the Reference Identification Qualifier

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

**CodeList Summary** (Total Codes: 1503, Included: 1)

**Code Name**

L1 Letters or Notes

N902	127	Reference Identification	M	AN	1/30	Must use
------	-----	--------------------------	---	----	------	----------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**User Note 1:** GEN: General Message

## Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

## Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

# MSG Message Text

Pos: 250	Max: 1
Heading - Mandatory	
Loop: N9	Elements: 1

**User Option (Usage):** Must use

**Purpose:** To provide a free-form format that allows the transmission of text information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MSG01	933	Free-Form Message Text	M	AN	1/264	Must use

**Description:** Free-form message text

## Syntax Rules:

1. C0302 - If MSG03 is present, then MSG02 is required.

## Semantics:

1. MSG03 is the number of lines to advance before printing.

# Loop Baseline Item Data (Invoice)

Pos: 010	Repeat: 200000
Mandatory	
Loop: IT1	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To specify the basic and most frequently used line item data for the invoice and related transactions

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	IT1	Baseline Item Data (Invoice)	M	1		Must use
050	CTP	Pricing Information	M	1		Must use
060		Loop PID	M		1	Must use
120	REF	Reference Identification	O	1		Used



# IT1 Baseline Item Data (Invoice)

Pos: 010	Max: 1
Detail - Mandatory	
Loop: IT1	Elements: 8

**User Option (Usage):** Must use

**Purpose:** To specify the basic and most frequently used line item data for the invoice and related transactions

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IT101	350	<b>Assigned Identification</b>	M	AN	1/20	Must use
<b>Description:</b> Alphanumeric characters assigned for differentiation within a transaction set						
<b>User Note 1:</b> <i>Must match value sent on the Order (850/860)</i>						
IT102	358	<b>Quantity Invoiced</b>	M	R	1/10	Must use
<b>Description:</b> Number of units invoiced (supplier units)						
IT103	355	<b>Unit or Basis for Measurement Code</b>	M	ID	2/2	Must use
<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken						

### CodeList Summary (Total Codes: 794, Included: 43)

<u>Code</u>	<u>Name</u>
05	5 Meter
12	12 PCS
18	55 Gallon Drum
30	30 Gallon Drum
5C	5 Gallon Drum
5I	Standard Cubic Foot
B8	Board Foot
CM	Centimeter
CS	Case
CY	Cubic Yard
DA	Days
DH	Miles
DO	Dollars, U.S.
DZ	Dozen
EA	Each
F2	Square Foot
FT	Foot
GL	Gallon
GS	Gross
HF	Hundred Feet
HH	Hundred Cubic Feet
HR	Hours
IN	Inch
KG	Kilogram
LB	Pound
LT	Liter
MM	Millimeter

**Code Name**

MO	Months
MR	Meter
OP	Two pack
OZ	Ounce - Av
P4	Four-pack
P6	Six pack
P9	Nine pack
PR	Pair
PT	Pint
QT	Quart
RK	30FT Roll
SI	Square Inch
SM	Square Meter
TN	Net Ton
UN	Unit
YD	Yard

IT104	212	<b>Unit Price</b>	M	R	1/17	Must use
-------	-----	-------------------	---	---	------	----------

**Description:** Price per unit of product, service, commodity, etc.

IT106	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**CodeList Summary** (Total Codes: 477, Included: 1)

**Code Name**

BP	Buyer's Part Number
----	---------------------

**User Note 1:**

*Return if present on the 850/860*

IT107	234	<b>Product/Service ID</b>	X	AN	1/48	Used
-------	-----	---------------------------	---	----	------	------

**Description:** Identifying number for a product or service

IT108	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**CodeList Summary** (Total Codes: 477, Included: 1)

**Code Name**

VP	Vendor's (Seller's) Part Number
----	---------------------------------

IT109	234	<b>Product/Service ID</b>	X	AN	1/48	Used
-------	-----	---------------------------	---	----	------	------

**Description:** Identifying number for a product or service

**Syntax Rules:**

1. P020304 - If either IT102, IT103 or IT104 are present, then the others are required.
2. P0607 - If either IT106 or IT107 is present, then the other is required.
3. P0809 - If either IT108 or IT109 is present, then the other is required.
4. P1011 - If either IT110 or IT111 is present, then the other is required.

5. P1213 - If either IT112 or IT113 is present, then the other is required.
6. P1415 - If either IT114 or IT115 is present, then the other is required.
7. P1617 - If either IT116 or IT117 is present, then the other is required.
8. P1819 - If either IT118 or IT119 is present, then the other is required.
9. P2021 - If either IT120 or IT121 is present, then the other is required.
10. P2223 - If either IT122 or IT123 is present, then the other is required.
11. P2425 - If either IT124 or IT125 is present, then the other is required.

**Semantics:**

1. IT101 is the purchase order line item identification.

**Comments:**

- 1.

# CTP Pricing Information

Pos: 050	Max: 1
Detail - Mandatory	
Loop: IT1	Elements: 1

**User Option (Usage):** Must use

**Purpose:** To specify pricing information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTP08	782	<b>Monetary Amount</b>	M	R	1/18	Must use

**Description:** Monetary amount

**User Note 1:** *Extended Item Amount Price \* Qty*

## Syntax Rules:

1. P0405 - If either CTP04 or CTP05 is present, then the other is required.
2. C0607 - If CTP06 is present, then CTP07 is required.
3. C0902 - If CTP09 is present, then CTP02 is required.
4. C1002 - If CTP10 is present, then CTP02 is required.
5. C1103 - If CTP11 is present, then CTP03 is required.

## Semantics:

1. CTP07 is a multiplier factor to arrive at a final discounted price. A multiplier of .90 would be the factor if a 10% discount is given.
2. CTP08 is the rebate amount.

# Loop Product/Item Description

Pos: 060	Repeat: 1
Mandatory	
Loop: PID	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To describe a product or process in coded or free-form format

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
060	PID	Product/Item Description	M	1		Must use

# PID Product/Item Description

<b>Pos: 060</b>	<b>Max: 1</b>
<b>Detail - Mandatory</b>	
<b>Loop: PID</b>	<b>Elements: 3</b>

**User Option (Usage):** Must use

**Purpose:** To describe a product or process in coded or free-form format

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
PID01	349	Item Description Type	M	ID	1/1	Must use				
Description: Code indicating the format of a description										
CodeList Summary (Total Codes: 3, Included: 1)										
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>F</td><td>Free-form</td></tr></table>							<u>Code</u>	<u>Name</u>	F	Free-form
<u>Code</u>	<u>Name</u>									
F	Free-form									
PID02	750	Product/Process Characteristic Code	M	ID	2/3	Must use				
Description: Code identifying the general class of a product or process characteristic										
CodeList Summary (Total Codes: 217, Included: 1)										
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>08</td><td>Product</td></tr></table>							<u>Code</u>	<u>Name</u>	08	Product
<u>Code</u>	<u>Name</u>									
08	Product									
PID05	352	Description	M	AN	1/80	Must use				
Description: A free-form description to clarify the related data elements and their content										

## Syntax Rules:

1. C0403 - If PID04 is present, then PID03 is required.
2. R0405 - At least one of PID04 or PID05 is required.
3. C0703 - If PID07 is present, then PID03 is required.
4. C0804 - If PID08 is present, then PID04 is required.
5. C0905 - If PID09 is present, then PID05 is required.

## Semantics:

1. Use PID03 to indicate the organization that publishes the code list being referred to.
2. PID04 should be used for industry-specific product description codes.
3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
4. PID09 is used to identify the language being used in PID05.

## Comments:

- 1.

# REF Reference Identification

Pos: 120	Max: 1
Detail - Optional	
Loop: IT1	Elements: 2

**User Option (Usage):** Used

**Purpose:** To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

**CodeList Summary** (Total Codes: 1503, Included: 1)

Code Name

L1 Letters or Notes

REF03	352	Description	M	AN	1/80	Must use
-------	-----	-------------	---	----	------	----------

**Description:** A free-form description to clarify the related data elements and their content

## Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

## Semantics:

1. REF04 contains data relating to the value cited in REF02.

## User Note 1:

*Item Level Note*

# TDS Total Monetary Value Summary

Pos: 010	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 1

**User Option (Usage):** Must use

**Purpose:** To specify the total invoice discounts and amounts

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TDS01	610	Amount	M	N2	1/15	Must use

**Description:** Monetary amount

**User Note 1:** Total Invoice Amount (including charges, less allowances, plus taxes)

## Semantics:

1. TDS01 is the total amount of invoice (including charges, less allowances) before terms discount (if discount is applicable).
2. TDS02 indicates the amount upon which the terms discount amount is calculated.
3. TDS03 is the amount of invoice due if paid by terms discount due date (total invoice or installment amount less cash discount).
4. TDS04 indicates the total amount of terms discount.

## Comments:

1. TDS02 is required if the dollar value subject to discount is not equal to the dollar value of TDS01.



# TXI Tax Information

Pos: 020	Max: 3
Summary - Optional	
Loop: N/A	Elements: 2

**User Option (Usage):** Used

**Purpose:** To specify tax information

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
TXI01	963	Tax Type Code	M	ID	2/2	Must use

**Description:** Code specifying the type of tax

**CodeList Summary** (Total Codes: 74, Included: 3)

**Code Name**

GS Goods and Services Tax

SP State/Provincial Tax

**User Note 1:**

*Canadian GST and HST*

ST State Sales Tax

TXI02	782	Monetary Amount	M	R	1/18	Must use
-------	-----	-----------------	---	---	------	----------

**Description:** Monetary amount

## Syntax Rules:

1. R020306 - At least one of TXI02, TXI03 or TXI06 is required.
2. P0405 - If either TXI04 or TXI05 is present, then the other is required.
3. C0803 - If TXI08 is present, then TXI03 is required.

## Semantics:

1. TXI02 is the monetary amount of the tax.
2. TXI03 is the tax percent expressed as a decimal.
3. TXI07 is a code indicating the relationship of the price or amount to the associated segment.

# Loop Service, Promotion, Allowance, or Charge Information

Pos: 040	Repeat: 25
Optional	
Loop: SAC	Elements: N/A

**User Option (Usage):** Used

**Purpose:** To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Reg</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
040	SAC	Service, Promotion, Allowance, or Charge Information	O	1		Used

# SAC Service, Promotion, Allowance, or Charge Information

Pos: 040 Max: 1  
Summary - Optional  
Loop: SAC Elements: 4

**User Option (Usage):** Used

**Purpose:** To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SAC01	248	Allowance or Charge Indicator	M	ID	1/1	Must use

**Description:** Code which indicates an allowance or charge for the service specified

**CodeList Summary** (Total Codes: 7, Included: 2)

### Code Name

A Allowance  
C Charge

SAC02	1300	Service, Promotion, Allowance, or Charge Code	M	ID	4/4	Must use
-------	------	---	---	----	-----	----------

**Description:** Code identifying the service, promotion, allowance, or charge

**CodeList Summary** (Total Codes: 1019, Included: 5)

### Code Name

D240 Freight  
D260 Fuel Charge  
F050 Other (See related description)  
G830 Shipping and Handling  
H550 Surcharge

SAC05	610	Amount	M	N2	1/15	Must use
-------	-----	--------	---	----	------	----------

**Description:** Monetary amount

SAC15	352	Description	C	AN	1/80	Used
-------	-----	-------------	---	----	------	------

**Description:** A free-form description to clarify the related data elements and their content

**User Note 1:** Required when SAC02 = F050

## Syntax Rules:

1. R0203 - At least one of SAC02 or SAC03 is required.
2. P0304 - If either SAC03 or SAC04 is present, then the other is required.
3. P0607 - If either SAC06 or SAC07 is present, then the other is required.
4. P0910 - If either SAC09 or SAC10 is present, then the other is required.
5. C1110 - If SAC11 is present, then SAC10 is required.
6. L130204 - If SAC13 is present, then at least one of SAC02 or SAC04 is required.
7. C1413 - If SAC14 is present, then SAC13 is required.
8. C1615 - If SAC16 is present, then SAC15 is required.

**Semantics:**

1. If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
2. SAC05 is the total amount for the service, promotion, allowance, or charge.
3. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
4. SAC08 is the allowance or charge rate per unit.
5. SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity.
6. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
7. SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
8. SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
9. SAC16 is used to identify the language being used in SAC15.

# CTT Transaction Totals

Pos: 070	Max: 1
Summary - Optional	
Loop: N/A	Elements: 1

**User Option (Usage):** Used

**Purpose:** To transmit a hash total for a specific element in the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	Must use

**Description:** Total number of line items in the transaction set

## Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

# SE Transaction Set Trailer

Pos: 080	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use
<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments						
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						

## Comments:

1. SE is the last segment of each transaction set.