

# 810 Invoice

X12/V4010/810 : 810 Invoice

**Version: 1.0**

<b>Author:</b>	<b>SPS Commerce</b>
<b>Company:</b>	<b>Baker Distributing</b>
<b>Publication:</b>	<b>10/13/2022</b>
<b>Notes:</b>	

# Table of Contents

<b>810 Invoice</b> .....	<b>1</b>
<b>ST Transaction Set Header</b> .....	<b>2</b>
<b>BIG Beginning Segment for Invoice</b> .....	<b>3</b>
<b>REF Reference Identification</b> .....	<b>4</b>
<b>N1 Loop Name</b> .....	<b>5</b>
<b>N1 Name</b> .....	<b>6</b>
<b>N3 Address Information</b> .....	<b>7</b>
<b>N4 Geographic Location</b> .....	<b>8</b>
<b>ITD Terms of Sale/Deferred Terms of Sale</b> .....	<b>9</b>
<b>DTM Date/Time Reference</b> .....	<b>10</b>
<b>IT1 Loop Baseline Item Data (Invoice)</b> .....	<b>11</b>
<b>IT1 Baseline Item Data (Invoice)</b> .....	<b>12</b>
<b>PID Loop Product/Item Description</b> .....	<b>15</b>
<b>PID Product/Item Description</b> .....	<b>16</b>
<b>TDS Total Monetary Value Summary</b> .....	<b>17</b>
<b>SAC Loop Service, Promotion, Allowance, or Charge Information</b> .....	<b>18</b>
<b>SAC Service, Promotion, Allowance, or Charge Information</b> .....	<b>19</b>
<b>CTT Transaction Totals</b> .....	<b>21</b>
<b>SE Transaction Set Trailer</b> .....	<b>22</b>

# 810 Invoice

**Functional Group=IN**

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Invoice Transaction Set (810) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the billing for goods and services provided.

**Heading:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BIG	Beginning Segment for Invoice	M	1			Must use
050	REF	Reference Identification	M	12			Must use
<b>LOOP ID - N1</b>					<b>200</b>		
070	N1	Name	M	1			Must use
090	N3	Address Information	M	2			Must use
100	N4	Geographic Location	M	1			Must use
130	ITD	Terms of Sale/Deferred Terms of Sale	M	>1			Must use
140	DTM	Date/Time Reference	M	10			Must use

**Detail:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<b>LOOP ID - IT1</b>					<b>200000</b>		
010	IT1	Baseline Item Data (Invoice)	M	1			Must use
<b>LOOP ID - PID</b>					<b>1000</b>		
060	PID	Product/Item Description	M	1			Must use

**Summary:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	TDS	Total Monetary Value Summary	M	1			Must use
<b>LOOP ID - SAC</b>					<b>25</b>		
040	SAC	Service, Promotion, Allowance, or Charge Information	O	1			Used
070	CTT	Transaction Totals	O	1		N3/070	Used
080	SE	Transaction Set Trailer	M	1			Must use

**Notes:**

3/070 Number of line items (CTT01) is the accumulation of the number of IT1 segments. If used, hash total (CTT02) is the sum of the value of quantities invoiced (IT102) for each IT1 segment.

**Change History:**

01/31/2023

Added optional UPC item identifier

# ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

**Description:** Code uniquely identifying a Transaction Set

**CodeList Summary** (Total Codes: 298, Included: 1)

Code Name

810 Invoice

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	--------------------------------	---	----	-----	----------

**Description:** Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

## Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

# BIG Beginning Segment for Invoice

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 4

**User Option (Usage):** Must use

**Purpose:** To indicate the beginning of an invoice transaction set and transmit identifying numbers and dates

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BIG01	373	<b>Date</b>	M	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD				
BIG02	76	<b>Invoice Number</b>	M	AN	1/22	Must use
		<b>Description:</b> Identifying number assigned by issuer				
BIG03	373	<b>Date</b>	O	DT	8/8	Used
		<b>Description:</b> Date expressed as CCYYMMDD				
BIG04	324	<b>Purchase Order Number</b>	M	AN	1/22	Must use
		<b>Description:</b> Identifying number for Purchase Order assigned by the orderer/purchaser				

## Semantics:

1. BIG01 is the invoice issue date.
2. BIG03 is the date assigned by the purchaser to purchase order.
3. BIG10 indicates the consolidated invoice number. When BIG07 contains code CI, BIG10 is not used.

## Comments:

1. BIG07 is used only to further define the type of invoice when needed.

# REF Reference Identification

Pos: 050	Max: 12
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

**CodeList Summary** (Total Codes: 1503, Included: 3)

### Code Name

BM Bill of Lading Number

CN Carrier's Reference Number (PRO/Invoice)

IA Internal Vendor Number

REF02	127	Reference Identification	M	AN	1/30	Must use
-------	-----	--------------------------	---	----	------	----------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

## Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

## Semantics:

1. REF04 contains data relating to the value cited in REF02.

## User Note 1:

*One of either Bill of Lading Number or Carrier Pro Number is required. This value MUST match what was sent on the ASN. One invoice should be sent per ASN.*

# Loop Name

Pos: 070	Repeat: 200
Mandatory	
Loop: N1	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
070	N1	Name	M	1		Must use
090	N3	Address Information	M	2		Must use
100	N4	Geographic Location	M	1		Must use

# N1 Name

Pos: 070	Max: 1
Heading - Mandatory	
Loop: N1	Elements: 4

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

**Description:** Code identifying an organizational entity, a physical location, property or an individual

**CodeList Summary** (Total Codes: 1312, Included: 3)

**Code Name**

BT Bill-to-Party

**User Note 1:**

*Mandatory*

RI Remit To

**User Note 1:**

*Mandatory*

ST Ship To

**User Note 1:**

*Mandatory*

N102	93	Name	M	AN	1/60	Must use
------	----	------	---	----	------	----------

**Description:** Free-form name

N103	66	Identification Code Qualifier	O	ID	1/2	Used
------	----	-------------------------------	---	----	-----	------

**Description:** Code designating the system/method of code structure used for Identification Code (67)

**CodeList Summary** (Total Codes: 215, Included: 1)

**Code Name**

92 Assigned by Buyer or Buyer's Agent

N104	67	Identification Code	O	AN	2/80	Used
------	----	---------------------	---	----	------	------

**Description:** Code identifying a party or other code

## Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

## Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

# N3 Address Information

Pos: 090	Max: 2
Heading - Mandatory	
Loop: N1	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To specify the location of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	<b>Address Information</b>	M	AN	1/55	Must use
		<b>Description:</b> Address information				
N302	166	<b>Address Information</b>	O	AN	1/55	Used
		<b>Description:</b> Address information				

# N4 Geographic Location

Pos: 100	Max: 1
Heading - Mandatory	
Loop: N1	Elements: 4

**User Option (Usage):** Must use

**Purpose:** To specify the geographic place of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	<b>City Name</b>	M	AN	2/30	Must use
		<b>Description:</b> Free-form text for city name				
N402	156	<b>State or Province Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				
N403	116	<b>Postal Code</b>	M	ID	3/15	Must use
		<b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	<b>Country Code</b>	O	ID	2/3	Used
		<b>Description:</b> Code identifying the country				

## Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

## Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

# ITD Terms of Sale/Deferred Terms of Sale

Pos: 130	Max: >1
Heading - Mandatory	
Loop: N/A	Elements: 1

**User Option (Usage):** Must use  
**Purpose:** To specify terms of sale

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ITD12	352	Description	M	AN	1/80	Must use

**Description:** A free-form description to clarify the related data elements and their content

**Syntax Rules:**

1. L03040513 - If ITD03 is present, then at least one of ITD04, ITD05 or ITD13 is required.
2. L08040513 - If ITD08 is present, then at least one of ITD04, ITD05 or ITD13 is required.
3. L091011 - If ITD09 is present, then at least one of ITD10 or ITD11 is required.

**Semantics:**

1. ITD15 is the percentage applied to a base amount used to determine a late payment charge.

**Comments:**

1. If the code in ITD01 is "04", then ITD07 or ITD09 is required and either ITD10 or ITD11 is required; if the code in ITD01 is "05", then ITD06 or ITD07 is required.

# DTM Date/Time Reference

Pos: 140	Max: 10
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To specify pertinent dates and times

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use

**Description:** Code specifying type of date or time, or both date and time

**CodeList Summary** (Total Codes: 1112, Included: 1)

<u>Code</u>	<u>Name</u>
011	Shipped

DTM02	373	Date	M	DT	8/8	Must use
-------	-----	------	---	----	-----	----------

**Description:** Date expressed as CCYYMMDD

## Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

# Loop Baseline Item Data (Invoice)

Pos: 010	Repeat: 200000
Mandatory	
Loop: IT1	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To specify the basic and most frequently used line item data for the invoice and related transactions

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	IT1	Baseline Item Data (Invoice)	M	1		Must use
060		Loop PID	M		1000	Must use

# IT1 Baseline Item Data (Invoice)

Pos: 010	Max: 1
Detail - Mandatory	
Loop: IT1	Elements: 12

**User Option (Usage):** Must use

**Purpose:** To specify the basic and most frequently used line item data for the invoice and related transactions

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IT101	350	<b>Assigned Identification</b>	M	AN	1/20	Must use

**Description:** Alphanumeric characters assigned for differentiation within a transaction set

**User Note 1:** Must match the value on the Purchase Order.

IT102	358	<b>Quantity Invoiced</b>	M	R	1/10	Must use
-------	-----	--------------------------	---	---	------	----------

**Description:** Number of units invoiced (supplier units)

IT103	355	<b>Unit or Basis for Measurement Code</b>	M	ID	2/2	Must use
-------	-----	---	---	----	-----	----------

**Description:** Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

**CodeList Summary** (Total Codes: 794, Included: 43)

<u>Code</u>	<u>Name</u>
BD	Bundle
BG	Bag
BO	Bottle
BX	Box
CA	Case
CH	Container
CL	Cylinder
CN	Can
CP	Crate
CT	Carton
DR	Drum
DZ	Dozen
EA	Each
FT	Foot
GA	Gallon
GS	Gross
HU	Hundred
IN	Inch
JO	Joint
JR	Jar
JU	Jug
KT	Kit
LB	Pound
LF	Linear Foot
LN	Length
OZ	Ounce - Av
PA	Pail

<u>Code</u>	<u>Name</u>
PC	Piece
PH	Pack (PAK)
PK	Package
PL	Pallet/Unit Load
PR	Pair
PT	Pint
QT	Quart
RE	Reel
RL	Roll
SF	Square Foot
SH	Sheet
SQ	Square
ST	Set
SV	Skid
TC	Truckload
YD	Yard

IT104	212	<b>Unit Price</b>	M	R	1/17	Must use
-------	-----	-------------------	---	---	------	----------

**Description:** Price per unit of product, service, commodity, etc.

IT106	235	<b>Product/Service ID Qualifier</b>	M	ID	2/2	Must use
-------	-----	-------------------------------------	---	----	-----	----------

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**CodeList Summary** (Total Codes: 477, Included: 1)

<u>Code</u>	<u>Name</u>
BP	Buyer's Part Number

IT107	234	<b>Product/Service ID</b>	M	AN	1/48	Must use
-------	-----	---------------------------	---	----	------	----------

**Description:** Identifying number for a product or service

IT108	235	<b>Product/Service ID Qualifier</b>	O	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**CodeList Summary** (Total Codes: 477, Included: 3)

<u>Code</u>	<u>Name</u>
CB	Buyer's Catalog Number
UP	U.P.C. Consumer Package Code (1-5-5-1)
VP	Vendor's (Seller's) Part Number

IT109	234	<b>Product/Service ID</b>	O	AN	1/48	Used
-------	-----	---------------------------	---	----	------	------

**Description:** Identifying number for a product or service

IT110	235	<b>Product/Service ID Qualifier</b>	O	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**CodeList Summary** (Total Codes: 477, Included: 3)

**Code Name**

CB Buyer's Catalog Number  
 UP U.P.C. Consumer Package Code (1-5-5-1)  
 VP Vendor's (Seller's) Part Number

IT111 234 **Product/Service ID** O AN 1/48 Used

**Description:** Identifying number for a product or service

IT112 235 **Product/Service ID Qualifier** O ID 2/2 Used

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**CodeList Summary** (Total Codes: 477, Included: 3)

**Code Name**

CB Buyer's Catalog Number  
 UP U.P.C. Consumer Package Code (1-5-5-1)  
 VP Vendor's (Seller's) Part Number

IT113 234 **Product/Service ID** O AN 1/48 Used

**Description:** Identifying number for a product or service

**Syntax Rules:**

1. P020304 - If either IT102, IT103 or IT104 are present, then the others are required.
2. P0607 - If either IT106 or IT107 is present, then the other is required.
3. P0809 - If either IT108 or IT109 is present, then the other is required.
4. P1011 - If either IT110 or IT111 is present, then the other is required.
5. P1213 - If either IT112 or IT113 is present, then the other is required.
6. P1415 - If either IT114 or IT115 is present, then the other is required.
7. P1617 - If either IT116 or IT117 is present, then the other is required.
8. P1819 - If either IT118 or IT119 is present, then the other is required.
9. P2021 - If either IT120 or IT121 is present, then the other is required.
10. P2223 - If either IT122 or IT123 is present, then the other is required.
11. P2425 - If either IT124 or IT125 is present, then the other is required.

**Semantics:**

1. IT101 is the purchase order line item identification.

**Comments:**

1. Element 235/234 combinations should be interpreted to include products and/or services. See the Data Dictionary for a complete list of IDs.
2. IT106 through IT125 provide for ten different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

# Loop Product/Item Description

Pos: 060	Repeat: 1000
Mandatory	
Loop: PID	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To describe a product or process in coded or free-form format

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
060	PID	Product/Item Description	M	1		Must use

# PID Product/Item Description

Pos: 060	Max: 1
Detail - Mandatory	
Loop: PID	Elements: 3

**User Option (Usage):** Must use

**Purpose:** To describe a product or process in coded or free-form format

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PID01	349	Item Description Type	M	ID	1/1	Must use

**Description:** Code indicating the format of a description

**CodeList Summary** (Total Codes: 3, Included: 1)

**Code Name**

F Free-form

PID02	750	Product/Process Characteristic Code	M	ID	2/3	Must use
-------	-----	-------------------------------------	---	----	-----	----------

**Description:** Code identifying the general class of a product or process characteristic

**CodeList Summary** (Total Codes: 217, Included: 1)

**Code Name**

08 Product

PID05	352	Description	M	AN	1/80	Must use
-------	-----	-------------	---	----	------	----------

**Description:** A free-form description to clarify the related data elements and their content

## Syntax Rules:

1. C0403 - If PID04 is present, then PID03 is required.
2. R0405 - At least one of PID04 or PID05 is required.
3. C0703 - If PID07 is present, then PID03 is required.
4. C0804 - If PID08 is present, then PID04 is required.
5. C0905 - If PID09 is present, then PID05 is required.

## Semantics:

1. Use PID03 to indicate the organization that publishes the code list being referred to.
2. PID04 should be used for industry-specific product description codes.
3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
4. PID09 is used to identify the language being used in PID05.

## Comments:

1. If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If PID01 equals "X", then both PID04 and PID05 are used.
2. Use PID06 when necessary to refer to the product surface or layer being described in the segment.
3. PID07 specifies the individual code list of the agency specified in PID03.

# TDS Total Monetary Value Summary

Pos: 010	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 3

**User Option (Usage):** Must use

**Purpose:** To specify the total invoice discounts and amounts

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TDS01	610	Amount	M	N2	1/15	Must use
		<b>Description:</b> Monetary amount				
TDS02	610	Amount	M	N2	1/15	Must use
		<b>Description:</b> Monetary amount				
TDS04	610	Amount	O	N2	1/15	Used
		<b>Description:</b> Monetary amount				

## Semantics:

1. TDS01 is the total amount of invoice (including charges, less allowances) before terms discount (if discount is applicable).
2. TDS02 indicates the amount upon which the terms discount amount is calculated.
3. TDS03 is the amount of invoice due if paid by terms discount due date (total invoice or installment amount less cash discount).
4. TDS04 indicates the total amount of terms discount.

## Comments:

1. TDS02 is required if the dollar value subject to discount is not equal to the dollar value of TDS01.

# Loop Service, Promotion, Allowance, or Charge Information

Pos: 040	Repeat: 25
Optional	
Loop: SAC	Elements: N/A

User Option (Usage): Used

Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
040	SAC	Service, Promotion, Allowance, or Charge Information	O	1		Used

# SAC Service, Promotion, Allowance, or Charge Information

Pos: 040	Max: 1
Summary - Optional	
Loop: SAC	Elements: 4

**User Option (Usage):** Used

**Purpose:** To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SAC01	248	<b>Allowance or Charge Indicator</b>	M	ID	1/1	Must use

**Description:** Code which indicates an allowance or charge for the service specified

**CodeList Summary** (Total Codes: 7, Included: 2)

**Code Name**

A Allowance  
C Charge

SAC02	1300	<b>Service, Promotion, Allowance, or Charge Code</b>	M	ID	4/4	Must use
-------	------	--	---	----	-----	----------

**Description:** Code identifying the service, promotion, allowance, or charge

**CodeList Summary** (Total Codes: 1053, Included: 7)

**Code Name**

A010 Absolute Minimum Charge  
A720 Broken Package Charge  
C850 Expedited Service Charge  
D240 Freight  
D260 Fuel Charge  
H550 Surcharge  
I590 Warranties

SAC05	610	<b>Amount</b>	M	N2	1/15	Must use
-------	-----	---------------	---	----	------	----------

**Description:** Monetary amount

SAC15	352	<b>Description</b>	M	AN	1/80	Must use
-------	-----	--------------------	---	----	------	----------

**Description:** A free-form description to clarify the related data elements and their content

## Syntax Rules:

1. R0203 - At least one of SAC02 or SAC03 is required.
2. P0304 - If either SAC03 or SAC04 is present, then the other is required.
3. P0607 - If either SAC06 or SAC07 is present, then the other is required.
4. P0910 - If either SAC09 or SAC10 is present, then the other is required.
5. C1110 - If SAC11 is present, then SAC10 is required.
6. L130204 - If SAC13 is present, then at least one of SAC02 or SAC04 is required.
7. C1413 - If SAC14 is present, then SAC13 is required.
8. C1615 - If SAC16 is present, then SAC15 is required.

**Semantics:**

1. If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
2. SAC05 is the total amount for the service, promotion, allowance, or charge.
3. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
4. SAC08 is the allowance or charge rate per unit.
5. SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity.
6. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
7. SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
8. SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
9. SAC16 is used to identify the language being used in SAC15.

**Comments:**

1. SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction to further the code in SAC02.
2. In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to as "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" - Dollars in SAC09.

# CTT Transaction Totals

Pos: 070	Max: 1
Summary - Optional	
Loop: N/A	Elements: 1

**User Option (Usage):** Used

**Purpose:** To transmit a hash total for a specific element in the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	O	N0	1/6	Used

**Description:** Total number of line items in the transaction set

## Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

## Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

# SE Transaction Set Trailer

Pos: 080	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	<b>Number of Included Segments</b>	M	N0	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

## Comments:

1. SE is the last segment of each transaction set.