- **Zone A:** Ship-From Address Information. (Required)
- **Zone B:** Ship-To Address Information. (Required)
- Zone C: Item number or SKU number of product(s) being shipped on the logistical unit. Costco identifier for the item. (Required – If multiple SKUs are packed within the carton, then the word "Mixed" can be displayed, and every SKU does not have to be listed)
- Zone D: Vertical Orientation (Ladder) of the GS1-128 barcode encoding the SSCC. The height and width specifications are per the GS1 Standards. The width is the length of a single narrow bar. (See specifications for the barcode below) (Only one barcode



orientation is required - vendors can pick either the vertical or the horizontal)

- Zone E: Short Product Description. Costco brief description of item. (Required Similarly to the Costco Part Number, if multiple SKUs are packed within the carton, then the word "Mixed" can be displayed)
- Zone F: Freight carrier information and address. (Carrier Name and one of BOL or Carrier Pro is Required. Carrier address is Optional).
- **Zone G**: Costco specific label information including:
 - Purchase Order Number PO Identifier(s) on the Shipment. The applicable data elements will repeat for 0 each unique PO on the Shipment. (Required)
 - o Vendor Name (Required Vendor Name or Vendor Number can be provided)
 - Department Number Costco Department number of item ordered (Must be returned if present on the 0 PO)
 - Expiration Date of Product (If applicable) Date product Expires (Only applicable for perishable goods) 0
 - Lot number Lot number(s) of container labeled. (Only applicable for products with assigned Lot 0 Numbers)
 - Country of Origin Product country of Origin (Optional) 0
 - Weight Weight of container labeled (case or pallet) (Optional) 0
 - Cube information Cube of container labeled (case or pallet) (Optional) 0

- o Warehouse number Warehouse ID number if known when label is generated. (Must be returned if present on the PO)
- o Sell Unit/Order Units Number of sellable units contained on the logistic unit. (Required)
- o Label count. (Required)
- <u>Zone H</u>: Horizontal Orientation (Picket Fence) of the GS1-128 barcode encoding the SSCC. The height and width specifications are per the GS1 Standards. The width is the length of a single narrow bar. *(See specifications for the barcode below)* (Only one barcode orientation is required vendors can pick either the vertical or the horizontal)

5.5.2.7.5. Symbol Specification Table 5 – Trade Items scanned in General Distribution that are Logistics Units

Figure 5.5.2.7.5-1. GS1 System Symbol Specification Table 5									
Symbol(s) Specified	(*) X-dimension mm (inches)			(**) Minimum Symbol Height for Given X mm (inches)			Quiet Zone		Minimum Quality Specification
	Minimum	Target	Maximum	For Minimum X- dimension	For Target X- dimension	For Maximum X- dimension	Left	Right	
GS1-128	0.495 (0.0195")	0.495 (0.0195")	0.940 (0.0370")	31.75 (1.250")	31.75 (1.250")	31.75 (1.250")	10X	10 <i>X</i>	1.5/10/660

<u>X</u>-dimension is defined as the width of the narrowest bar within a barcode (most software uses the x-dimension).

<u>Barcode height</u> - the bar height from the top of the bars to the bottom of the bars not including the Human Readable.

<u>Quiet Zone</u> - required whitespace on the left and right of the barcode, when positioned horizontally and required whitespace on the top and bottom of the barcode, when positioned vertically.