

Vallen Distribution, Inc. 850 Purchase Order

X12/V4010/850 : 850 Purchase Order

Author:	SPS Commerce
Company:	Vallen Distribution, Inc.
Publication:	10/5/2020
Modified:	7/1/2021

Table of Contents

850	Purchase Order	1
ST	Transaction Set Header	3
BEG	Beginning Segment for Purchase Order	4
CUR	Currency	5
REF	Reference Identification	6
PER	Administrative Communications Contact	7
FOB	F.O.B. Related Instructions	8
CSH	Sales Requirements	9
ITD	Terms of Sale/Deferred Terms of Sale	10
TD5	Carrier Details (Routing Sequence/Transit Time)	11
N9	Loop Reference Identification	12
N9	Reference Identification	13
MSG	Message Text	14
N1	Loop Name	15
N1	Name	16
N3	Address Information	17
N4	Geographic Location	18
PO1	Loop Baseline Item Data	19
PO1	Baseline Item Data	20
PID	Loop Product/Item Description	27
PID	Product/Item Description	28
REF	Reference Identification	29
N9	Loop Reference Identification	30
N9	Reference Identification	31
MSG	Message Text	32
CTT	Loop Transaction Totals	33
CTT	Transaction Totals	34
SE	Transaction Set Trailer	35

850 Purchase Order

Functional Group=**PO**

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Purchase Order Transaction Set (850) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the placement of purchase orders for goods and services. This transaction set should not be used to convey purchase order changes or purchase order acknowledgment information.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BEG	Beginning Segment for Purchase Order	M	1			Must use
040	CUR	Currency	O	1			Used
050	REF	Reference Identification	M	>1			Must use
060	PER	Administrative Communications Contact	O	1			Used
080	FOB	F.O.B. Related Instructions	O	1			Used
110	CSH	Sales Requirements	O	1			Used
130	ITD	Terms of Sale/Deferred Terms of Sale	O	1			Used
240	TD5	Carrier Details (Routing Sequence/Transit Time)	O	1			Used
LOOP ID - N9					1000		
295	N9	Reference Identification	M	1			Must use
300	MSG	Message Text	M	1000			Must use
LOOP ID - N1					2		
310	N1	Name	M	1			Must use
330	N3	Address Information	C	1			Used
340	N4	Geographic Location	C	1			Used

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - PO1					100000	N2/010L	
010	PO1	Baseline Item Data	M	1		N2/010	Must use
LOOP ID - PID					1		
050	PID	Product/Item Description	M	1			Must use
100	REF	Reference Identification	O	>1			Used
LOOP ID - N9					1000		
330	N9	Reference Identification	M	1			Must use
340	MSG	Message Text	M	1000			Must use

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - CTT					1	N3/010L	
010	CTT	Transaction Totals	O	1		N3/010	Used

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
030	SE	Transaction Set Trailer	M	1			Must use

Notes:

2/010L PO102 is required.

2/010 PO102 is required.

3/010L The number of line items (CTT01) is the accumulation of the number of PO1 segments. If used, hash total (CTT02) is the sum of the value of quantities ordered (PO102) for each PO1 segment.

3/010 The number of line items (CTT01) is the accumulation of the number of PO1 segments. If used, hash total (CTT02) is the sum of the value of quantities ordered (PO102) for each PO1 segment.

User Note 1:*Change History*

04/16/2021

- Removed line level DTM segment

04/27/2021

- Added REF01 = CT as optional at the header

04/30/2021

- Removed header level DTM segment

05/05/2021

- Added REF01 = 4E as optional at the header

07/01/2021

- Added Buyer Address (N101=BY) for Drop Ship POs (BEG02=DS)

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

Description: Code uniquely identifying a Transaction Set

CodeList Summary (Total Codes: 298, Included: 1)

Code Name

850 Purchase Order

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	--------------------------------	---	----	-----	----------

Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

BEG Beginning Segment for Purchase Order

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 4

User Option (Usage): Must use

Purpose: To indicate the beginning of the Purchase Order Transaction Set and transmit identifying numbers and dates

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BEG01	353	Transaction Set Purpose Code	M	ID	2/2	Must use
		Description: Code identifying purpose of transaction set				
		CodeList Summary (Total Codes: 65, Included: 1)				
		<u>Code</u> <u>Name</u>				
		00 Original				
BEG02	92	Purchase Order Type Code	M	ID	2/2	Must use
		Description: Code specifying the type of Purchase Order				
		CodeList Summary (Total Codes: 69, Included: 2)				
		<u>Code</u> <u>Name</u>				
		DS Dropship				
		NE New Order				
BEG03	324	Purchase Order Number	M	AN	1/22	Must use
		Description: Identifying number for Purchase Order assigned by the orderer/purchaser				
BEG05	373	Date	M	DT	8/8	Must use
		Description: Date expressed as CCYYMMDD				

Semantics:

1. BEG05 is the date assigned by the purchaser to purchase order.

CUR Currency

Pos: 040	Max: 1
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Used

Purpose: To specify the currency (dollars, pounds, francs, etc.) used in a transaction

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CUR01	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

CodeList Summary (Total Codes: 1312, Included: 1)

Code Name

BY Buying Party (Purchaser)

CUR02	100	Currency Code	M	ID	3/3	Must use
-------	-----	---------------	---	----	-----	----------

Description: Code (Standard ISO) for country in whose currency the charges are specified

Syntax Rules:

1. C0807 - If CUR08 is present, then CUR07 is required.
2. C0907 - If CUR09 is present, then CUR07 is required.
3. L101112 - If CUR10 is present, then at least one of CUR11 or CUR12 is required.
4. C1110 - If CUR11 is present, then CUR10 is required.
5. C1210 - If CUR12 is present, then CUR10 is required.
6. L131415 - If CUR13 is present, then at least one of CUR14 or CUR15 is required.
7. C1413 - If CUR14 is present, then CUR13 is required.
8. C1513 - If CUR15 is present, then CUR13 is required.
9. L161718 - If CUR16 is present, then at least one of CUR17 or CUR18 is required.
10. C1716 - If CUR17 is present, then CUR16 is required.
11. C1816 - If CUR18 is present, then CUR16 is required.
12. L192021 - If CUR19 is present, then at least one of CUR20 or CUR21 is required.
13. C2019 - If CUR20 is present, then CUR19 is required.
14. C2119 - If CUR21 is present, then CUR19 is required.

REF Reference Identification

Pos: 050	Max: >1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

CodeList Summary (Total Codes: 1503, Included: 5)

Code Name

4E Carrier-assigned Consignee Number

CO Customer Order Number

User Note 1:

Will be present on Drop Ship (BEG02 = DS) orders

CT Contract Number

GK Third Party Reference Number

IA Internal Vendor Number

User Note 1:

Mandatory - Vallen Assigned Vendor Number

REF02	127	Reference Identification	M	AN	1/30	Must use
-------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

PER Administrative Communications Contact

Pos: 060	Max: 1
Heading - Optional	
Loop: N/A	Elements: 6

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PER01	366	Contact Function Code	M	ID	2/2	Must use
<p>Description: Code identifying the major duty or responsibility of the person or group named</p> <p>CodeList Summary (Total Codes: 230, Included: 1)</p> <p>Code Name</p> <p>BD Buyer Name or Department</p>						
PER02	93	Name	O	AN	1/60	Used
<p>Description: Free-form name</p>						
PER03	365	Communication Number Qualifier	X	ID	2/2	Used
<p>Description: Code identifying the type of communication number</p> <p>CodeList Summary (Total Codes: 40, Included: 1)</p> <p>Code Name</p> <p>TE Telephone</p>						
PER04	364	Communication Number	X	AN	1/80	Used
<p>Description: Complete communications number including country or area code when applicable</p>						
PER05	365	Communication Number Qualifier	X	ID	2/2	Used
<p>Description: Code identifying the type of communication number</p> <p>CodeList Summary (Total Codes: 40, Included: 1)</p> <p>Code Name</p> <p>EM Electronic Mail</p>						
PER06	364	Communication Number	X	AN	1/80	Used
<p>Description: Complete communications number including country or area code when applicable</p>						

Syntax Rules:

1. P0304 - If either PER03 or PER04 is present, then the other is required.
2. P0506 - If either PER05 or PER06 is present, then the other is required.
3. P0708 - If either PER07 or PER08 is present, then the other is required.

FOB F.O.B. Related Instructions

Pos: 080	Max: 1
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Used

Purpose: To specify transportation instructions relating to shipment

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FOB01	146	Shipment Method of Payment	M	ID	2/2	Must use

Description: Code identifying payment terms for transportation charges

CodeList Summary (Total Codes: 28, Included: 1)

Code Name

DF Defined by Buyer and Seller

FOB09	352	Description	M	AN	1/80	Must use
-------	-----	-------------	---	----	------	----------

Description: A free-form description to clarify the related data elements and their content

Syntax Rules:

1. C0302 - If FOB03 is present, then FOB02 is required.
2. C0405 - If FOB04 is present, then FOB05 is required.
3. C0706 - If FOB07 is present, then FOB06 is required.
4. C0809 - If FOB08 is present, then FOB09 is required.

Semantics:

1. FOB01 indicates which party will pay the carrier.
2. FOB02 is the code specifying transportation responsibility location.
3. FOB06 is the code specifying the title passage location.
4. FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.

CSH Sales Requirements

Pos: 110	Max: 1
Heading - Optional	
Loop: N/A	Elements: 1

User Option (Usage): Used

Purpose: To specify general conditions or requirements of the sale

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CSH01	563	Sales Requirement Code	O	ID	1/2	Used

Description: Code to identify a specific requirement or agreement of sale

CodeList Summary (Total Codes: 54, Included: 3)

Code Name

O	Back Order If Items Are Out of Stock or Not Yet Published
SC	Ship Complete
SP	Ship Partial, Balance Cancel

Syntax Rules:

1. C0203 - If CSH02 is present, then CSH03 is required.
2. P0607 - If either CSH06 or CSH07 is present, then the other is required.
3. P0910 - If either CSH09 or CSH10 is present, then the other is required.

Semantics:

1. CSH03 is the maximum monetary amount value which the order must not exceed.
2. CSH04 is the account number to which the purchase amount is charged.
3. CSH05 is the date specified by the sender to be shown on the invoice.
4. CSH06 identifies the source of the code value in CSH07.

ITD Terms of Sale/Deferred Terms of Sale

Pos: 130	Max: 1
Heading - Optional	
Loop: N/A	Elements: 1

User Option (Usage): Used

Purpose: To specify terms of sale

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ITD12	352	Description	O	AN	1/80	Used

Description: A free-form description to clarify the related data elements and their content

Syntax Rules:

1. L03040513 - If ITD03 is present, then at least one of ITD04, ITD05 or ITD13 is required.
2. L08040513 - If ITD08 is present, then at least one of ITD04, ITD05 or ITD13 is required.
3. L091011 - If ITD09 is present, then at least one of ITD10 or ITD11 is required.

Semantics:

1. ITD15 is the percentage applied to a base amount used to determine a late payment charge.

TD5 Carrier Details (Routing Sequence/Transit Time)

Pos: 240	Max: 1
Heading - Optional	
Loop: N/A	Elements: 3

User Option (Usage): Used

Purpose: To specify the carrier and sequence of routing and provide transit time information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD502	66	Identification Code Qualifier	X	ID	1/2	Used

Description: Code designating the system/method of code structure used for Identification Code (67)

CodeList Summary (Total Codes: 215, Included: 1)

Code Name

2 Standard Carrier Alpha Code (SCAC)

TD503	67	Identification Code	X	AN	2/80	Used
-------	----	---------------------	---	----	------	------

Description: Code identifying a party or other code

TD505	387	Routing	X	AN	1/35	Used
-------	-----	---------	---	----	------	------

Description: Free-form description of the routing or requested routing for shipment, or the originating carrier's identity

Syntax Rules:

1. R0204050612 - At least one of TD502, TD504, TD505, TD506 or TD512 is required.
2. C0203 - If TD502 is present, then TD503 is required.
3. C0708 - If TD507 is present, then TD508 is required.
4. C1011 - If TD510 is present, then TD511 is required.
5. C1312 - If TD513 is present, then TD512 is required.
6. C1413 - If TD514 is present, then TD513 is required.
7. C1512 - If TD515 is present, then TD512 is required.

Semantics:

1. TD515 is the country where the service is to be performed.

Loop Reference Identification

Pos: 295	Repeat: 1000
Optional	
Loop: N9	Elements: N/A

User Option (Usage): Used

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
295	N9	Reference Identification	M	1		Must use
300	MSG	Message Text	M	1000		Must use

N9 Reference Identification

Pos: 295	Max: 1
Heading - Mandatory	
Loop: N9	Elements: 2

User Option (Usage): Must use

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

CodeList Summary (Total Codes: 1503, Included: 1)

Code Name

L1 Letters or Notes

N902	127	Reference Identification	M	AN	1/30	Must use
------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1:

GEN: General Note

SHP: Shipping Note

Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

MSG Message Text

Pos: 300	Max: 1000
Heading - Mandatory	
Loop: N9	Elements: 1

User Option (Usage): Must use

Purpose: To provide a free-form format that allows the transmission of text information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MSG01	933	Free-Form Message Text	M	AN	1/264	Must use

Description: Free-form message text

Syntax Rules:

1. C0302 - If MSG03 is present, then MSG02 is required.

Semantics:

1. MSG03 is the number of lines to advance before printing.

Loop Name

Pos: 310	Repeat: 2
Mandatory	
Loop: N1	Elements: N/A

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
310	N1	Name	M	1		Must use
330	N3	Address Information	C	1		Used
340	N4	Geographic Location	C	1		Used

User Note 1:

One iteration of the N1 loop will always be present for the Ship To (N101=ST) name and address information.

Buyer Party (N101=BY) is only sent on Drop Ship POs (BEG02=DS) with N1 segment containing N101, N103 and N104.

N1 Name

Pos: 310	Max: 1
Heading - Mandatory	
Loop: N1	Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

CodeList Summary (Total Codes: 1312, Included: 2)

Code Name

BY Buying Party (Purchaser)

User Note 1:

Optional

ST Ship To

User Note 1:

Mandatory

N102	93	Name	C	AN	1/60	Used
------	----	------	---	----	------	------

Description: Free-form name

User Note 1:

Will be present for Ship to Address (N101 = ST)

N103	66	Identification Code Qualifier	X	ID	1/2	Used
------	----	-------------------------------	---	----	-----	------

Description: Code designating the system/method of code structure used for Identification Code (67)

User Note 1: *Will be present for Direct to Warehouse orders (BEG02 = NE)*

CodeList Summary (Total Codes: 215, Included: 1)

Code Name

92 Assigned by Buyer or Buyer's Agent

N104	67	Identification Code	C	AN	2/80	Used
------	----	---------------------	---	----	------	------

Description: Code identifying a party or other code

User Note 1: *Will be present for Direct to Warehouse orders (BEG02 = NE)*

Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

N3 Address Information

Pos: 330	Max: 1
Heading - Conditional	
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use
		Description: Address information				
N302	166	Address Information	O	AN	1/55	Used
		Description: Address information				

User Note 1:

Will be present for Ship to Address (N101 = ST)

N4 Geographic Location

Pos: 340	Max: 1
Heading - Conditional	
Loop: N1	Elements: 4

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	M	AN	2/30	Must use
		Description: Free-form text for city name				
N402	156	State or Province Code	O	ID	2/2	Used
		Description: Code (Standard State/Province) as defined by appropriate government agency				
N403	116	Postal Code	M	ID	3/15	Must use
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	Country Code	O	ID	2/3	Used
		Description: Code identifying the country				

Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

Comments:

- 1.

User Note 1:

Will be present for Ship to Address (N101 = ST)

Loop Baseline Item Data

Pos: 010	Repeat: 100000
Mandatory	
Loop: PO1 Elements: N/A	

User Option (Usage): Must use

Purpose: To specify basic and most frequently used line item data

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	PO1	Baseline Item Data	M	1		Must use
050		Loop PID	M		1	Must use
100	REF	Reference Identification	O	>1		Used
330		Loop N9	O		1000	Used

PO1 Baseline Item Data

Pos: 010	Max: 1
Detail - Mandatory	
Loop: PO1	Elements: 11

User Option (Usage): Must use

Purpose: To specify basic and most frequently used line item data

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PO101	350	Assigned Identification	M	AN	1/20	Must use

Description: Alphanumeric characters assigned for differentiation within a transaction set

User Note 1: Return transactions should match line number as sent on the purchase order

PO102	330	Quantity Ordered	M	R	1/15	Must use
-------	-----	------------------	---	---	------	----------

Description: Quantity ordered

PO103	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
-------	-----	------------------------------------	---	----	-----	----------

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

CodeList Summary (Total Codes: 794, Included: 211)

Code Name

AS	Assortment
AY	Assembly
B1	Box
BA	Bale
BB	Base Box
BC	Bucket
BD	Bundle
BE	Blade
BF	Board Feet
BG	Bag
BH	Brush
BI	Bar
BJ	Band
BK	Book
BL	Block
BN	Bulk
BO	Bottle
BR	Barrel
BT	Belt
BU	Bushel
BX	Box
C4	Carload
CA	Case
CB	Carboy
CC	Cubic Centimeter
CD	Carat
CE	Centigrade, Celsius

<u>Code</u>	<u>Name</u>
CF	Cubic Feet
CG	Card
CH	Container
CI	Cubic Inches
CJ	Cone
CK	Connector
CL	Cylinder
CM	Centimeter
CN	Can
CO	Coil
CP	Crate
CQ	Cartridge
CR	Cubic Meter
CS	Cassette
CT	Carton
CU	Cup
CV	Cover
CW	Hundred Pounds (CWT)
CX	Cost
CY	Cubic Yard
CZ	Combo
DA	Days
DC	Decigram
DE	Deal
DI	Disc
DK	Kilometers
DL	Deciliter
DM	Decimeter
DN	Dozen
DO	Dollars, U.S.
DP	Dispenser
DR	Drum
DS	Display
DZ	Dozen
EA	Each
EP	Eleven pack
EV	Envelope
F2	Square Foot
FA	Fahrenheit
FO	Fahrenheit
FP	Pounds per Sq. Ft.
FT	Foot
GA	Gallon
GI	Imperial Gallons
GL	Gallon
GM	Grams per Sq. Meter
GR	Gram

<u>Code</u>	<u>Name</u>
GS	Gross
GY	Gross Yard
HA	Hank 100ft of Rope
HC	Hundred Count
HD	Half Dozen
HG	Hectogram
HR	Hours
HU	Hundred
IC	Increment
IN	Inch
JB	Jumbo
JG	Jug
JO	Joint
JR	Jar
JU	Jug
KA	Can
KE	Keg
KG	Kilogram
KH	Kilowatt Hour
KI	Kit
KT	Kit
KV	Kelvin
KW	Kilograms per Millimeter
LB	Pound
LC	Linear Centimeter
LF	Linear Foot
LG	Log
LH	Labor Hours
LI	Linear Inch
LK	Link
LM	Linear Meter
LN	Length
LO	Lot
LP	Pounds Per Cubic Inch
LR	Layer(s)
LS	Lump Sum
LT	Liter
LY	Linear Yard
MA	Machine/Unit
MB	Minimum Buying Unit
MC	Master Case
ME	Milligram
MF	Milligrams Per Sq Ft. Per Side
MG	Metric Gross Ton
MI	Milligrams Per Sq Inch
ML	Milliliter
MM	Millimeter

<u>Code</u>	<u>Name</u>
MN	Metric Net Ton
MO	Months
MP	Metric Ton
MR	Meter
MS	Square Millimeter
MT	Metric Long Ton
MU	Minutes
MV	Monetary Value
MX	Mixed
NB	Barge
NC	Car
NL	Load
NN	Train
NR	Container
NT	Trailer
NV	Vehicle
OP	Two pack
OZ	Ounce - Av
P1	Each
P3	Three pack
P4	Four-pack
P5	Five-pack
P6	Six pack
P7	Seven pack
P8	Eight-pack
P9	Nine pack
PA	Pail
PC	Piece
PD	Pad
PE	Pounds Equivalent
PF	Pallet (lift)
PG	Pounds (Gross)
PH	Pack (Pak)
PI	Pounds Per Inch of Length
PK	Pack
PL	Pallet/Unit Load
PN	Pounds Net
PP	Plate
PR	Pair
PS	Pounds per Sq. Inch
PT	Pint
PW	Pounds per Inch of Width
QD	Quarter Dozen
QR	Quire
QT	Quart
RD	Rod
RE	Reel

<u>Code</u>	<u>Name</u>
RL	Roll
RM	Ream
RO	Roll
SA	Sandwich
SC	Square Centimeter
SE	Section
SF	Square Foot
SG	Segment
SH	Sheet
SI	Square Inch
SJ	Sack
SK	Skid/Pallet
SL	Sleeve
SM	Square Meter
SO	Spool
SP	Shelf Package
SQ	Square
SR	Strip
ST	Set
SX	Shipment
SY	Square Yard
TB	Tube
TC	Truckload
TE	Tote
TG	Gross Ton
TH	Thousand
TK	Tank
TN	Net Ton
TO	Troy Ounce
TP	10 Pack
TS	Short Ton (2000 Lbs.)
TU	Thousand Linear Yards
TW	Thousand Pieces
TY	Tray
UN	Unit
VP	Vendor Price
WH	Wheel
WI	Wiper
WK	Week
WR	Wrap
YD	Yard
YR	Years
ZP	Each

PO104	212	Unit Price	M	R	1/17	Must use
-------	-----	-------------------	---	---	------	----------

Description: Price per unit of product, service, commodity, etc.

PO105	639	Basis of Unit Price Code	M	ID	2/2	Must use
-------	-----	---------------------------------	---	----	-----	----------

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Code identifying the type of unit price for an item				
		CodeList Summary (Total Codes: 91, Included: 1)				
		Code Name				
		UM Price per Unit of Measure				
PO106	235	Product/Service ID Qualifier	M	ID	2/2	Must use
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		CodeList Summary (Total Codes: 477, Included: 1)				
		Code Name				
		BP Buyer's Part Number				
PO107	234	Product/Service ID	M	AN	1/48	Must use
		Description: Identifying number for a product or service				
PO108	235	Product/Service ID Qualifier	X	ID	2/2	Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		CodeList Summary (Total Codes: 477, Included: 1)				
		Code Name				
		VC Vendor's (Seller's) Catalog Number				
PO109	234	Product/Service ID	X	AN	1/48	Used
		Description: Identifying number for a product or service				
PO110	235	Product/Service ID Qualifier	X	ID	2/2	Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		CodeList Summary (Total Codes: 477, Included: 1)				
		Code Name				
		MG Manufacturer's Part Number				
PO111	234	Product/Service ID	X	AN	1/48	Used
		Description: Identifying number for a product or service				

Syntax Rules:

1. C0302 - If PO103 is present, then PO102 is required.
2. C0504 - If PO105 is present, then PO104 is required.
3. P0607 - If either PO106 or PO107 is present, then the other is required.
4. P0809 - If either PO108 or PO109 is present, then the other is required.
5. P1011 - If either PO110 or PO111 is present, then the other is required.
6. P1213 - If either PO112 or PO113 is present, then the other is required.
7. P1415 - If either PO114 or PO115 is present, then the other is required.
8. P1617 - If either PO116 or PO117 is present, then the other is required.
9. P1819 - If either PO118 or PO119 is present, then the other is required.
10. P2021 - If either PO120 or PO121 is present, then the other is required.

11. P2223 - If either PO122 or PO123 is present, then the other is required.
12. P2425 - If either PO124 or PO125 is present, then the other is required.

Comments:

1. See the Data Element Dictionary for a complete list of IDs.
2. PO101 is the line item identification.
3. PO106 through PO125 provide for ten different product/service IDs per each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

Loop Product/Item Description

Pos: 050	Repeat: 1
Mandatory	
Loop: PID	Elements: N/A

User Option (Usage): Must use

Purpose: To describe a product or process in coded or free-form format

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
050	PID	Product/Item Description	M	1		Must use

PID Product/Item Description

Pos: 050	Max: 1
Detail - Mandatory	
Loop: PID	Elements: 3

User Option (Usage): Must use

Purpose: To describe a product or process in coded or free-form format

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PID01	349	Item Description Type	M	ID	1/1	Must use

Description: Code indicating the format of a description

CodeList Summary (Total Codes: 3, Included: 1)

Code Name

F Free-form

PID02	750	Product/Process Characteristic Code	M	ID	2/3	Must use
-------	-----	-------------------------------------	---	----	-----	----------

Description: Code identifying the general class of a product or process characteristic

CodeList Summary (Total Codes: 217, Included: 1)

Code Name

08 Product

PID05	352	Description	M	AN	1/80	Must use
-------	-----	-------------	---	----	------	----------

Description: A free-form description to clarify the related data elements and their content

Syntax Rules:

1. C0403 - If PID04 is present, then PID03 is required.
2. R0405 - At least one of PID04 or PID05 is required.
3. C0703 - If PID07 is present, then PID03 is required.
4. C0804 - If PID08 is present, then PID04 is required.
5. C0905 - If PID09 is present, then PID05 is required.

Semantics:

1. Use PID03 to indicate the organization that publishes the code list being referred to.
2. PID04 should be used for industry-specific product description codes.
3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
4. PID09 is used to identify the language being used in PID05.

Comments:

- 1.

REF Reference Identification

Pos: 100	Max: >1
Detail - Optional	
Loop: PO1	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

CodeList Summary (Total Codes: 1503, Included: 1)

Code Name

CT Contract Number

REF02	127	Reference Identification	M	AN	1/30	Must use
-------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

Loop Reference Identification

Pos: 330	Repeat: 1000
Optional	
Loop: N9	Elements: N/A

User Option (Usage): Used

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
330	N9	Reference Identification	M	1		Must use
340	MSG	Message Text	M	1000		Must use

N9 Reference Identification

Pos: 330	Max: 1
Detail - Mandatory	
Loop: N9	Elements: 2

User Option (Usage): Must use

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

CodeList Summary (Total Codes: 1503, Included: 1)

Code Name

L1 Letters or Notes

N902	127	Reference Identification	M	AN	1/30	Must use
------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1:

GEN: General Note

Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

MSG Message Text

Pos: 340	Max: 1000
Detail - Mandatory	
Loop: N9	Elements: 1

User Option (Usage): Must use

Purpose: To provide a free-form format that allows the transmission of text information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MSG01	933	Free-Form Message Text	M	AN	1/264	Must use

Description: Free-form message text

Syntax Rules:

1. C0302 - If MSG03 is present, then MSG02 is required.

Semantics:

1. MSG03 is the number of lines to advance before printing.

Loop Transaction Totals

Pos: 010	Repeat: 1
Optional	
Loop: CTT	Elements: N/A

User Option (Usage): Used

Purpose: To transmit a hash total for a specific element in the transaction set

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	CTT	Transaction Totals	O	1		Used

CTT Transaction Totals

Pos: 010	Max: 1
Summary - Optional	
Loop: CTT	Elements: 1

User Option (Usage): Used

Purpose: To transmit a hash total for a specific element in the transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	Must use

Description: Total number of line items in the transaction set

Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

SE Transaction Set Trailer

Pos: 030	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

Comments:

1. SE is the last segment of each transaction set.